

# ML-M1218UR


## ML-M-UR series







Drawing No. A23043

レンズ形式	Lens Type	CCTV Lens	
フォーカス位置	Focus Position	Reference Magnification	M.O.D
光学倍率	Magnification	0.023	0.075
焦点距離 (mm)	Focal Length	12.00	12.00
Fno	Fno	1.80~16.00	
NA	Numerical Aperture	-	-
WD/OD (mm)	Working/Object Distance	500.0 / 505.6	150.0 / 155.0
O/I (mm)	Object to Image Distance	559.55	209.55
鏡筒長 (mm)	Mechanical Tube Length	39.20~40.10	
レンズバック (mm)	Lens Back	12.23	12.84
被写界深度 (mm)	DOF @PCoC $\phi$ 0.04mm	277.576	28.121
分解能 ( $\mu$ m)	Resolution @ $\lambda$ =550nm	-	-
前側/後側主点位置 (mm)	Front/Rear Principal Position	17.71 / -0.05	17.71 / -0.05
入射/出射瞳位置 (mm)	Entrance/Exit Pupil Position	11.68 / -12.18	11.68 / -12.18
入射/出射瞳径 (mm)	Entrance/Exit Pupil Diameter	6.67 / 13.41	6.67 / 13.41
画角 (deg.) H x V	Angle Of View	40.5 x 30.7	39.4 x 29.8
TVディストーション (%)	TV Distortion	-0.983	-0.905
周辺光量比 (%)	Relative Illumination	38.86	41.08
質量 (g)	Weight	27.1	
マウント	Mount	C mount	
イメージサークル径 (mm)	Image Circle	$\phi$ 11	
最大適合カメラ	Largest Compatible Camera	2/3 Inch	

### ML-M1218UR







# WD=500.0mm Fno2.8



内容は、通知なしに随時変更されることがあります。  
 The content is subject to change at any time without notification.

# WD=300.0mm Fno2.8



内容は、通知なしに随時変更されることがあります。  
 The content is subject to change at any time without notification.



Vision Light Tech B.V.

Protonenlaan 22, 5405 NE UDEN, P.O. Box 345, 5400 AH UDEN, The Netherlands

Phone: +31 (0)413 26 00 67, Fax +31 (0)413 26 09 38, E-mail: inquiry@vlt.nl, Website: www.vlt.nl

Trade register No. 17150044, VAT No. NL8112.30.946.B01