

# ML-M3520UR


## ML-M-UR series







Drawing No. A23125

レンズ形式	Lens Type	CCTV Lens	
フォーカス位置	Focus Position	Reference Magnification	M.O.D
光学倍率	Magnification	0.069	0.167
焦点距離 (mm)	Focal Length	34.97	34.97
Fno	Fno	2.00~16.00	
NA	Numerical Aperture	-	-
WD/OD (mm)	Working/Object Distance	500.0 / 507.0	200.0 / 207.0
O/I (mm)	Object to Image Distance	555.75	259.16
鏡筒長 (mm)	Mechanical Tube Length	36.30~38.20	
レンズバック (mm)	Lens Back	14.75	18.16
被写界深度 (mm)	DOF @PCoC $\phi$ 0.04mm	35.476	6.336
分解能 ( $\mu$ m)	Resolution @ $\lambda$ =550nm	-	-
前側/後側主点位置 (mm)	Front/Rear Principal Position	37.60 / -22.61	37.60 / -22.61
入射/出射瞳位置 (mm)	Entrance/Exit Pupil Position	25.22 / -41.78	25.22 / -41.78
入射/出射瞳径 (mm)	Entrance/Exit Pupil Diameter	17.03 / 26.36	17.03 / 26.36
画角 (deg.) H x V	Angle Of View	13.7 x 10.3	12.6 x 9.4
TVディストーション (%)	TV Distortion	-0.088	-0.142
周辺光量比 (%)	Relative Illumination	45.14	50.42
質量 (g)	Weight	21.5	
マウント	Mount	C mount	
イメージサークル径 (mm)	Image Circle	$\phi$ 11	
最大適合カメラ	Largest Compatible Camera	2/3 Inch	

### ML-M3520UR







# WD=500.0mm Fno2.8



内容は、通知なしに随時変更されることがあります。  
 The content is subject to change at any time without notification.

# WD=300.0mm Fno2.8



内容は、通知なしに随時変更されることがあります。  
 The content is subject to change at any time without notification.



**Vision Light Tech B.V.**

Protonenlaan 22, 5405 NE UDEN, P.O. Box 345, 5400 AH UDEN, The Netherlands

Phone: +31 (0)413 26 00 67, Fax +31 (0)413 26 09 38, E-mail: inquiry@vlt.nl, Website: www.vlt.nl

Trade register No. 17150044, VAT No. NL8112.30.946.B01